



EUROPEAN UNION

Delegation of the European Union to Bosnia and Herzegovina

CORRIGENDUM No.2

to the

Tender Dossier

Project Title: "Regulation of Bosnia River in Sarajevsko Polje" - IPA 2011,
Bosnia and Herzegovina

Publication reference: EuropeAid/135-453/DD/WKS/BA

Tender No: EC/BiH/TEN/13/043

The following additions/modifications to the Tender Dossier are hereby introduced:

Corrigendum 2a

Volume 4 - Bill of Quantities - all lots:

The former text:

VI METAL WORKS

- 1 Procurement, transport and mounting of zinc-plated grid for collecting shaft for surface water drainage, all by the project.

Shall read as new text:

VI METAL WORKS

- 1 Procurement, transport and mounting of zinc-plated grid for collecting shaft for surface water drainage, all by the project. **The grid is 30 mm thick. Clearance shaft is 30 x 30 mm and sheet thickness of 3 mm. The grid is galvanized. To be mounted subsequently galvanized L profiles 30 x 30 x 3 mm. Trellis is UV resistant and has a low thermal conductivity. It is resistant to slipping, does not produce sparks, has a strong compressive strength which greatly enhances durability. Minimum load 150 kg/m².**

Corrigendum 2b:

Volume 4 - Bill of Quantities - all lots:

The former text:

VII MOUNTING WORKS

- 2 Procurement, transport and mounting of light flat check valve.

Shall read as new text:

VII MOUNTING WORKS

- 2 Procurement, transport and mounting of light flat check valve.
Material of light flat check valve is made of Structural steel or Nodular graphite cast iron (GGG). Generally lighter is GGG.

All other terms and conditions of the Tender Dossier remain unchanged.