



EUROPEAN UNION

Delegation of the European Union to Bosnia and Herzegovina

Sarajevo, April 2016

CORRIGENDUM no. 1 to the TENDER DOSSIER

Improve Technical Working Conditions of Court Police Publication reference: EuropeAid/136617/DH/SUP/BA; EU/BiH/TEN/15/001

1. [The following changes are made in the tender dossier, Annex II + III: Technical specifications, Lot 4:](#)

- Item no. 4.8, Wireless panic button, now reads:

Item number	Specifications Required	Qty
4.8	6 Wireless panic buttons ➤ 12 VDC ➤ 150m range ➤ LED indicator of transmission in complete set with control panel with keyboard and wireless expansion module	1 set

- Last row of the table now reads:

Remark: For installation purposes, a contractor is obliged to provide power supply cables, connectors, plastic cable channels, AC adapters, fuse boxes, all other materials needed for system installation **and project documentation when the work is completed.**

For the easier estimation of the installation costs, the following sizes and minimum quality of the cables, network connectors and plastic cable channels are given:

- length and type of power supply cables: For Items 4.1 to 4.5, it is necessary to connect equipment with 3500 meters (+/- 10%) of UTP CAT 6 cable or cable of the better quality.

- length and type of plastic cable channels: Approximate length and sizes of the plastic cable channels are: PVC channel 17x30 – 450 meters, 17 x 17 – 100 meters, parapet channel with cover 105 x 65 – 10 meters.

- for Item 4.7 and cameras, it is required to install 150 (+/- 10%) of network connectors RJ 45.

Given sizes and minimum quality of cables, network connectors and plastic cable channels only serve to the tenderers to estimate the price of installation.

2. The following changes are made in the tender dossier, Annex IV: Budget breakdown:

Lot 4 – Video surveillance system in judicial institutions of Tuzla

A		C
ITEM NUMBER	QUANTITY	SPECIFICATIONS OFFERED (INCL BRAND/MODEL)
4.8	1 set	6 Wireless panic buttons in complete set with control panel with keyboard and wireless expansion module
	Lump sum	One-day on-site training for 5 people, user manual documentation in local language (Bosnian/Croatian/Serb) for supply system and project documentation

3. NOTE: For the easier handling, changes in points 1 and 2 of this Corrigendum are incorporated into the attached tables. The tenderer is obliged to use these tables when preparing the offer.

4. All other terms and conditions of this tender dossier remain unchanged.

Yours sincerely,

Dimitrios Kalogeras

Head of Contracts, Finance and Audit Section