



**CORRIGENDUM No. 1 to the Tender Dossier**  
**Support to the Civil Protection Mechanism**  
**EuropeAid/139040/DH/SUP/BA; Tender No: EC/BiH/TEN/17/011**

The Tender Dossier is corrected as follows:

**ANNEX II + III: TECHNICAL SPECIFICATIONS + TECHNICAL OFFER**

**1) LOT 2: Truck trailers**

**Item 2.1. Truck trailer – 1 piece**

(a) The name of the item 2.1 "Truck trailer – 1 piece" now reads:

*"2.1 Truck trailer with side walls – 1 piece"*

(b) The requirement:

" Minimum requirements:

Exterior dimensions of trailer's cargo box:

- Length minimum 6100 mm
- Width minimum 2550 mm
- Aluminum side walls height minimum 600 mm
- Additional locks for intermodal (EURO) container"

now reads:

*" Minimum requirements:*

*Exterior dimensions of trailer's side walls:*

*Aluminum side walls:*

- *Length maximum 6100 mm*
- *Width maximum 2550 mm*
- *Height minimum 600 mm*

*Additional locks for intermodal (EURO) container"*

## 2) LOT 3: 4 x 4 Terrain Motor Vehicles

### Item 3.1. 4x4 TERRAIN MOTOR VEHICLE – 4 pieces

(a) In the requirement: "Engine:" the following point: "• Engine volume: minimum 1968 ccm" now reads:

*"• Engine volume: minimum 2200 ccm"*

(b) In the requirement: "Engine:" the following point: "• Average fuel consumption maximum 8,5 l/ 100 km" now reads:

*"• Average fuel consumption maximum 10 l / 100 km"*

(c) In the requirement: "Vehicle dimension:" the following point: "• Height without roof rails: minimum 1700 mm" now reads:

*"• Height without roof rails: minimum 1680 mm"*

(d) In the requirement: "Vehicle dimension:" the following point: "• Number of seats: 5+2" now reads:

*"• Number of seats: 5"*

(e) In the requirement: "Off-road qualities:" the following point: "• The input angle: minimum 30 degree" now reads:

*"• The input angle: minimum 20 degree"*

(f) In the requirement: "Off-road qualities:" the following point: "• Angle of climb: minimum 40 degree" now reads:

*"• The angle of climb: minimum 20 degree"*

(g) In the requirement: "Off-road qualities:" the following three points are deleted:

*"• Central angle: minimum 20 degree"*

*"• Border angle rollover: minimum 40 degree"*

*"• Depth of water wading: minimum 650 mm"*

(h) In the requirement: "Special equipment:" the following point: "• 12 Volt socket front, back and in the luggage compartment" now reads:

*• 12 Volt socket back and in the luggage compartment"*

(i) In the requirement: "Special equipment:" the following three points are deleted:

*"• Opening rear window of the rear door"*

*"• Car side steps"*

*"• Installed air intake system-snorkel above the hood"*

### 3) LOT 3: Terrain Motor Vehicles

#### Item 3.2. 4x4 TERRAIN MOTOR VEHICLE – 1 piece

(a) In the requirement: "Engine:" the following point: "• Engine volume: minimum 1968 ccm" now reads:

*"• Engine volume: minimum 2200 ccm"*

(b) In the requirement: "Engine:" the following point: "• Average fuel consumption maximum 8,5 l / 100 km" now reads:

*"• Average fuel consumption maximum 10 l / 100 km"*

(c) In the requirement: "Vehicle dimension:" the following point: "• Height without roof rails: minimum 1700 mm" now reads:

*"• Height without roof rails: minimum 1680 mm"*

(d) In the requirement: "Vehicle dimension:" the following point: "• Number of seats: 5+2" now reads:

*"• Number of seats: 5"*

(e) In the requirement: "Off-road qualities:" the following point: "• The input angle: minimum 30 degree" now reads:

*"• The input angle: minimum 20 degree"*

(f) In the requirement: "Off-road qualities:" the following point: "• Angle of climb: minimum 40 degree" now reads:

*"• The angle of climb: minimum 20 degree"*

(g) In the requirement: "Off-road qualities:" the following three points are deleted:

*"• Central angle: minimum 20 degree"*

*"• Border angle rollover: minimum 40 degree"*

*"• Depth of water wading: minimum 650 mm"*

(h) In the requirement: "Special equipment:" the following point: "• 12 Volt socket front, back and in the luggage compartment" now reads:

*• 12 Volt socket back and in the luggage compartment"*

(i) In the requirement: "Special equipment:" the following two points are deleted:

*"• Opening rear window of the rear door"*

*"• Car side steps"*

#### **4) LOT 6: Rescue tools for Urban Search and Rescue (USAR) teams**

##### **Item 6.4. PNEUMATIC LIFTING BAGS - 1 set of three – EN 13731**

(a) The requirement: "• Height of deflated bags: maximum 70 mm" now reads:

*"• Height of deflated bags: maximum 70 mm +/- 10%"*

(b) The requirement: "• Height of fully inflated bag: minimum 275 mm" now reads:

*"• Height of fully inflated three bags: minimum 275 mm"*

**Revised ANNEX II + III: TECHNICAL SPECIFICATIONS + TECHNICAL OFFER for Lot 2, Lot 3, and Lot 6 are annexed to this Corrigendum and must be used in the preparation of the offers for these lots.**

All other terms and conditions of the Tender Dossier remain unchanged. The above changes to the Tender Dossier are integral part of the Tender Dossier.